

FIG. 4




IMAGE FORMING FIG. 5	
INSTRUCTION FILE	-
[IMAGE COMMON INFORMATION] • VERSION OF IMAGE FORMING INSTRUCTION FILE • NAME OF MODEL WHICH SAVED IMAGE FORMING DESIGNATION FILE • DATE AND TIME WHEN IMAGE FORMING INSTRUCTION FILE WAS SAVED • USER INFORMATION (USER NAME, ADDRESS, TELEPHONE NO. OR THE LIKE) • PRINTING OUTPUT SYSTEM (GRAPHIC MODE, COLOR MODE, DISCHARGE MODE, OR THE LIKE) • IDENTIFICATION ATTRIBUTE BY USER SEPARATE AUTOMATIC MODE (SORT ATTRIBUTE)	21
[IMAGE INHERENT INFORMATION] • PRODUCT ID • PRINTING TYPE • THE NUMBER OF PRINTING SHEETS • FORMAT FORM OF IMAGE FILE • RELATIVE PASS OF IMAGE FILE • IMAGE ATTACHED INFORMATION (DATE, FRAME NUMBER, TITLE, TRIMMING INFORMATION, ROTATIONAL INFORMATION OR THE LIKE)	. 22
[IMAGE INHERENT INFORMATION] 23	_ 22
PRODUCT ID PRINTING TYPE THE NUMBER OF PRINTING SHEETS FORMAT FORM OF IMAGE FILE RELATIVE PASS OF IMAGE FILE IMAGE ATTACHED INFORMATION (DATE, FRAME NUMBER, TITLE, TRIMMING INFORMATION, ROTATIONAL INFORMATION OR THE LIKE)	
23	
[IMAGE INHERENT INFORMATION] • PRODUCT ID • PRINTING TYPE • THE NUMBER OF PRINTING SHEETS • FORMAT FORM OF IMAGE FILE • RELATIVE PASS OF IMAGE FILE • IMAGE ATTACHED INFORMATION (DATE, FRAME NUMBER, TITLE, TRIMMING INFORMATION, ROTATIONAL INFORMATION OR THE LIKE)	22

IMAGE DESIGNATION: INDEX+ALL	IMAGES ▼
MEDIA:	SORT METHOD:
PLAIN PAPER	OWNER
POSTCARD	DATE
PHOTOGRAPH	TITLE
GLOSSY PAPER	DISTRIBUTION USER
OHP SHEET	DIRECTORY
	<u> </u>
IS IT OK TO START PRINTING IN THE A	BOVE SETTING ?
	OK CANCEL

m

ij

f.Fi

7 / 53





FIG. 8







FIG. 10




VC · · · VIDEO CONTROLLER EC · · · ENGINE CONTROLLER


SIGNAL NAME	DIRECTION	CONTENTS		
/CPRDY	VC → EC	A SIGNAL SHOWING THAT A VIDEO CONTROLLER 103 IS IN A STATUS CAPABLE OF COMMUNICATING WITH AN ENGINE CONTROLLER 105		
/PPRDY	VC ← EC	A SIGNAL SHOWING THAT THE ENGINE CONTORLLER 105 IS IN A STAND-BY STATUS CAPABLE OF COMMUNICATING WITH THE VIDEO CONTORLLER 103		
/RDY	VC → EC	A SIGNAL SHOWING THAT THE ENGINE CONTROLLER 105 IS IN A STAND-BY STATUS CAPABLE OF PRINTING		
/PRNT	VC → EC	A SIGNAL FOR THE VIDEO CONTROLLER 103 TO MAKE A REQUEST FOR A PRINTING TO THE ENGINE CONTROLLER 105		
/VSREQ	VC ← EC	A SIGNAL FOR THE ENGINE CONTROLLER 105 TO MAKE A REQUEST FOR A VERTICAL SYNCHRONIZING SIGNAL TO THE VIDEO CONTROLLER 103		
∕VSYNC	VC → EC	THE VERTICAL SYNCHRONIZING SIGNAL WHICH THE VIDEO CONTROLLER 103 OUTPUTS TO THE ENGINE CONTROLLER 105		
/BD	VC ← EC	THE HORIZONTAL SYNCHRONIZING SIGNAL WHICH THE ENGINE CONTROLLER 105 OUTPUTS TO THE VIDEO CONTROLLER 103		
/CCRT	VC ← EC	A SIGNAL NOTIFYING TO THE VIDEO CONTROLLER 103 OF A STATUS CHANGE WHEN THE CONTENT OF A STATUS NOT RELATING DIRECTLY TO A RDY SIGNAL HAS CHANEGED AND BECOMES "TRUE"		
/SCLK	VC → EC	A SYNCHRONIZING CLOCK SIGNAL FOR A SERIAL COMMUNICATION		
/CMD	VC EC	A COMMAND SIGNAL BY WHICH THE VIDEO CONTROLLER 103 INSTRUCTS THE ENGINE CONTROLLER 105		
/CBSY	VC → EC	A STROBE SIGNAL FOR OUTPUTTING A COMMAND		
/STS	VC ← EC	A SIGNAL SHOWING A STATUS INSIDE THE ENGINE WHICH IS OUTPUTTED TO A COMMAND FROM THE VIDEO CONTROLLER 103		
/SBSY	VC ← EC	A SIGNAL FOR A STATUS OUTPUT		

VC · · · VIDEO CONTROLLER OC · · · OPTION CONTROLLER EC · · · ENGINE CONTROLLER

SIGNAL NAME	DIRECTION	CONTENTS
SERIAL COMMUNICATION I/F	20 ← →20⁄	VCOC I/F WHICH PERFORMS A FEED DESIGNATION TO A FEED OPTION, A DISCHARGE DESIGNATION TO A DISCHARGE OPTION, A COMMAND DESIGNATION OR THE LIKE THROUGH A COMMON MEMORY
/OPTRDY	00 0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	VC - OC SHOWS A READY STATUS FOR A FUNCTION WITH WHICH A DESIGNATION OPTION APPARATUS IS PROVIDED
/POUTT	EC OC	EC OC A TIMING SIGNAL BY WHICH A PRINTER MAIN BODY DISCHARGES A RECORDING PAPER
/PFEDT	EC → 0C	EC — OC BODY RECEIVES A RECORDING PAPER FROM AN OPTION UNIT
/SPCNG	EC OC	A SIGNAL FOR SLOWING DOWN A SPEED OF THE RECORDING PAPER CONVEYED AT HIGH SPEED INSIDE THE POTION APPARATUS AND ADJUSTING IT TO THE CONVEYING SPEED OF THE PRINTER MAIN BODY












FIG. 16








FIG. 18B




FIG. 19







FIG. 20







23 / 53

FIG. 23









FIG. 24














FIG. 30A

PRINTING SETTING

CONTENT OF SETTING:

* DISCHARGE MODE MEDIUM GRAPHIC MODE PRINTING SYSTEM

DISPLAY THE FOLLOWING ITEMS

DECIDE (→)

RETURN (←)

2

FIG. 30B

PRINTING SETTING

DISCHARGE MODE:

* USER SEPARATE AUTOMATIC USER SEPARATE FIX SORT STACK

DECIDE (→)

RETURN (←)

FIG. 30C

PRINTING SETTING

SORT METHOD:

* DISTRIBUTION USER TITLE PHOTOGRAPHING DATE PRINTING TYPE

DISPLAY THE FOLLOWING ITEMS

DECIDE (→)

RETURN (←)




FIG. 32A

2

MENU

PHOTOGRAPHING MODE
PLAY BACK MODE
EDITING MODE
PRINTING SETTING
* PRINTING EXECUTION

EXECUTE THE FOLLOWING ITEMS

DECIDE (→)

RETURN (←)

FIG. 32B

6

PRINTING EXECUTION

UNDER PRINTING EXECUTION ... 50%

* INTERRUPT PRINTING


DISPLAY JOB CONTENT


DISPLAY DISCHARGE CONDITION OF PRINTER


RETURN TO MENU IMAGE

DECIDE (→)


RETURN (←)









35 / 53



36 / 53




37 / 53





				400				
FILE	EDIT	DISPLAY	HELP		_			
BACK	NEXT	STOP	SEARCH					
BOOKMA	BOOKMARK LOCATION: http://:www.printservice.aa.bb/print/index.html							
REQUEST OF PRINT SERVICE								
TRUSTEE SERVICE COMPANY:								
PATENT PRINTING SERVICE ▼								
STORE LOCATION OF IMAGE FORMING INSTRUCTION FILE HOST INFORMATION (IP ADDRESS): 111.2.33.44 DIRECTORY INFORMATION: //user/share/doc/www/print/form.dpf								
	EDIT OF IMAGE FORMING INSTRUCTION FILE							
RECEPTION METHOD: ☑ PERSONAL DELIVERY AT SERVICE WINDOW SPECIFIED SERVICE WINDOW: PATENT PRINTING SERVICE SHIMOMARUKO BRANCH □ HOME DELIVERY								
I HOME DELIVENT								
	PRI	INT STAI	RT	PRINT RESERVATION				


					401 ~			
	EDIT	DIODLEY	UELD					
FILE	EDIT T	DISPLAY	HELP	AND THE PROPERTY OF THE PROPER				
BACK	NEXT	STOP	SEARCH					
BOOKMARK LOCATION: http://:www.printservice.aa.bb/form/index.html								
EDIT OF IMAGE FORMING INSTRUCTION FILE STORE LOCATION OF IMAGE FORMING INSTRUCTION FILE (DIRECTORY): REFERENCE								
	/user/share/doc/www/print/form.dpf							
/user/share/doc/www/print/travel/000-0000.jpg /user/share/doc/www/print/travel/000-0001.jpg /user/share/doc/www/print/travel/000-0002.jpg /user/share/doc/www/print/travel/000-0003.jpg /user/share/doc/www/print/home/002-0002.jpg /user/share/doc/www/print/home/002-0003.jpg /user/share/doc/www/print/home/002-0003.jpg /user/share/doc/www/print/home/002-0005.jpg								
L_	EDIT OF IMAGE FILE EDIT OF IMAGE ATTACHED INFORMATION							
USER INFORMATION: NAME: TARO SHIMOMARUKO E-MAIL ADDRESS: taro@xx.yy								
	ADDRESS: 0-1-2 SHIMOMARUKO OTA-KU TOKYO							
TELEPHONE NUMBER: 0120-123-456								




41 / 53











PRINTING INSTRUCTION	/							
IMAGE DESIGNATION: INDEX+ALL IM	AGES ▼							
MEDIA :	SORT METHOD:							
PLAIN PAPER	OWNER							
POSTCARD	DATE							
PHOTOGRAPH	TITLE							
GLOSSY PAPER	DISTRIBUTION USER							
OHP SHEET .	DIRECTORY							
IS IT OK TO START PRINTING IN THE ABOVE SETTING ?								
OK CANCEL								


FIG. 47



į.i.


47 / 53






49 / 53

FIG. 50



50 / 53



51 / 53




FIG. 53A




FIG. 53B




FIG. 53C

IMGxxx
IMAGE DATA

